International Journal of Pharmaceutics, 80 (1992) 283–285

© 1992 Elsevier Science Publishers B.V. All rights reserved 0378-5173/92/$05.00

Author Index

Aberturas, M.R., see Guzmán, M. (80) 119
Abraham, I., see Krishnan, T.R. (80) 277
Allwood, M.C.
The influence of buffering on the stability of erythromycin injection in small-volume infusions (80) R7
Anderberg, E.K., see Bisrat, M. (80) 191
Arnaud, P., Elkoubi, C., Renaux, C. and Le Hir, A.
Computerized linearization test for tablet dissolution kinetics (80) 129
Attwood, D., see Cole, S.K. (80) 63

Barnes, A.R.
Determination of caffeine and potassium sorbate in a neonatal oral solution by HPLC (80) 267
Barnett, M.I., see Bisrat, M. (80) 191
Barnwell, S.G., see Cole, S.K. (80) 63
Benedetti, L., see Kyyrönen, K. (80) 161
Bidah, D., Ouriemchi, E.M. and Vergnaud, J.M.
Diffusional process of drug delivery from a dosage form with a Gelucire matrix (80) 145
Bisrat, M., Anderberg, E.K., Barnett, M.I. and Nyström, C.
Physicochemical aspects of drug release. XV. Investigation of diffusional transport in dissolution of suspended, sparingly soluble drugs (80) 191
Bonferoni, M.C., Mellerio, G., Giunchedi, P., Caramella, C. and Conte, U.
Photostability evaluation of nicardipine · HCl solutions (80) 109
Bonhomme, L., Mathieu, M.C., Gosse, C., Depraetere, E., Renaux, J., Fredj, G. and Seiller, M.
Charcoal tattooing of mammary carcinoma in mice (80) 271
Bretal, M.J., see Remuñán, C. (80) 151
Bundgaard, H., see Kurono, Y. (80) 135
Butler, E.I.V., see Krishnan, T.R. (80) 277

Caramella, C., see Bonferoni, M.C. (80) 109
Carlisle, M.R., Chicoine, M.L. and Wygant, M.B.
A stability-indicating high-performance liquid chromatographic assay for nicotine in transdermal patches (80) 227
Carrupt, P.-A., see Tsai, R.-S. (80) 39
Chang, R.-K., Chang, S.-I. and Robinson, J.R.
A study of the performance of a modified V-shaped solids mixer using segregating materials (80) 171
Chang, S.-I., see Chang, R.-K. (80) 171
Chen, C.-F., see Tsai, T.-H. (80) 75
Chicoine, M.L., see Carlisle, M.R. (80) 227
Choi, Y.K., Jeong, S.Y. and Kim, Y.H.
A glucose-triggered solubilizable polymer gel matrix for an insulin delivery system (80) 9
Chouinard, F., see Pimienta, C. (80) 1
Clarke, J.G., Farr, S.J. and Wicks, S.R.
Technetium-99m labelling of suspension type pressurised metered dose inhalers comprising various drug/surfactant combinations (80) R1
Cole, S.K., Story, M.J., Laudanski, T., Dwyer, M., Attwood, D., Robertson, J. and Barnwell, S.G.
Targeting drugs to the enterohepatic circulation: A potential drug delivery system designed to enhance the bioavailability of indomethacin (80) 63
Conte, U., see Bonferoni, M.C. (80) 109

Depraetere, E., see Bonhomme, L. (80) 271
De Zeeuw, D., see Franssen, E.J.F. (80) R15
Dwyer, M., see Cole, S.K. (80) 63

Eerikäinen, S., Muttonen, E. and Yliruusi, J.
A study of sodium indomethacin-calcium hydrogen phosphate precipitation (80) 259
Eguchi, Y., see Nishida, K. (80) 101
Elkoubi, C., see Arnaud, P. (80) 129
El Tayar, N., see Tsai, R.-S. (80) 39

Fabbri, L., see Santoni, G. (80) 263
Farr, S.J., see Clarke, J.G. (80) R1
Franssen, E.J.F., Moolenaar, F., De Zeeuw, D. and Meijer, D.K.F.
Renal specific delivery of sulfamethoxazole in the rat by coupling to the low molecular weight protein lysozyme via an acid-sensitive linker (80) R15
Fredj, G., see Bonhomme, L. (80) 271

García, F.F., see Guzmán, M. (80) 119
Ghanem, A.-H., see Kim, Y.-H. (80) 17
Giunchedi, P., see Bonferoni, M.C. (80) 109
Gosse, C., see Bonhomme, L. (80) 271
Gratteri, P., see Santoni, G. (80) 263
Guzmán, M., García, F.F., Molpeceres, J. and Aberturas, M.R.
Polyoxyethylene-polyoxypropylene block copolymer gels as sustained release vehicles for subcutaneous drug administration (80) 119

Hamacher, E., see Stein, M. (80) R11
Hashida, M., see Nishida, K. (80) 101
Higuchi, W.I., see Kim, Y.-H. (80) 17
Hoshino, T., see Pitha, J. (80) 243
Hoshino, T., see Pitha, J. (80) 253
Hume, L., see Kyyrönen, K. (80) 161

Ichii, T., see Kurono, Y. (80) 135
Ikeda, K., see Kurono, Y. (80) 135
Irie, T., see Pitha, J. (80) 253

Jeong, S.Y., see Choi, Y.K. (80) 9
Joshi, H.N. and Topp, E.M.
Hydration in hyaluronic acid and its esters using differential scanning calorimetry (80) 213

Kim, Y.-H., Ghanem, A.-H., Mahmoud, H. and Higuchi, W.I.
Short chain alkanols as transport enhancers for lipophilic and polar/ionic permeants in hairless mouse skin: Mechanism(s) of action (80) 17
Kim, Y.H., see Choi, Y.K. (80) 9
Knapczyk, J., Macura, A.B. and Pawlik, B.
Simple tests demonstrating the antimycotic effect of chitosan (80) 33
Krishnan, T.R., Abraham, I. and Butler, E.I.V.
Wettability study of clofazimine and poly(vinyl methyl ether/maleic anhydride) copolymer coevaporates (80) 277
Kurono, Y., Tamaki, H., Kuwayama, T., Ichii, T., Sawabe, H., Yashiro, T., Ikeda, K. and Bundgaard, H.
Kinetics and mechanism of the acid-base equilibrium of mexazolam analogues: A modification of the mechanism proposed previously for mexazolam (80) 135
Kuwayama, T., see Kurono, Y. (80) 135
Kyyrönen, K., Hume, L., Benedetti, L., Urtti, A., Topp, E. and Stella, V.
Methylprednisolone esters of hyaluronic acid in ophthalmic drug delivery: in vitro and in vivo release studies (80) 161

Labib, A., see Pimienta, C. (80) 1
Laudanski, T., see Cole, S.K. (80) 63
Lee, G., see Schückler, F. (80) 81
Le Hir, A., see Arnaud, P. (80) 129
Lenaerts, V., see Pimienta, C. (80) 1

Macura, A.B., see Knapczyk, J. (80) 33
Mahmoud, H., see Kim, Y.-H. (80) 17
Mathieu, M.C., see Bonhomme, L. (80) 271
Mazzone, G., see Panico, A.M. (80) 93
McDonald, C., see Shija, R. (80) 203
Meijer, D.K.F., see Franssen, E.J.F. (80) R15
Mellerio, G., see Bonferoni, M.C. (80) 109
Molpeceres, J., see Guzmán, M. (80) 119
Moolenaar, F., see Franssen, E.J.F. (80) R15
Muttonen, E., see Eerikäinen, S. (80) 259

Myers, R.A. and Stella, V.J.
Factors affecting the lymphatic transport of penclomedine (NSC-338720), a lipophilic cytotoxic drug: Comparison to DDT and hexachlorobenzene (80) 51

Nishida, K., Takino, T., Eguchi, Y., Yamashita, F., Hashida, M. and Sezaki, H.
Pharmacokinetic analysis of uptake process of lactosaminated albumin in rat liver constant infusion experiments (80) 101
Núñez, A., see Remuñán, C. (80) 151
Nyström, C., see Bisrat, M. (80) 191

Ouriemchi, E.M., see Bidah, D. (80) 145

Panico, A.M., Pignatello, R., Puglisi, G., Mazzone, G. and Petrone, G.
Use of liposomes as carriers for immunomodulatory polypeptides: Studies on thymostimulin encapsulation and retention (80) 93
Parker, M.D., York, P. and Rowe, R.C.
Binder-substrate interactions in wet granulation. 3: The effect of excipient source variation (80) 179
Pawlik, B., see Knapczyk, J. (80) 33
Petrone, G., see Panico, A.M. (80) 93
Pignatello, R., see Panico, A.M. (80) 93
Pimienta, C., Chouinard, F., Labib, A. and Lenaerts, V.
Effect of various poloxamer coatings on in vitro adhesion of isohexylcyanoacrylate nanospheres to rat ileal segments under liquid flow (80) 1
Pinzauti, S., see Santoni, G. (80) 263
Pitha, J. and Hoshino, T.
Effects of ethanol on formation of inclusion complexes of hydroxypropylcyclodextrins with testosterone or with methyl orange (80) 243
Pitha, J., Hoshino, T., Torres-Labandeira, J. and Irie, T.
Preparation of drug:hydroxypropylcyclodextrin complexes by a method using ethanol or aqueous ammonium hydroxide as co-solubilizers (80) 253
Puglisi, G., see Panico, A.M. (80) 93

Remuñán, C., Bretal, M.J., Núñez, A. and Vila Jato, J.L.
Accelerated stability study of sustained-release nifedipine tablets prepared with Gelucire® (80) 151
Renaux, C., see Arnaud, P. (80) 129
Renaux, J., see Bonhomme, L. (80) 271
Renzi, G., see Santoni, G. (80) 263
Robertson, J., see Cole, S.K. (80) 63
Robinson, J.R., see Chang, R.-K. (80) 171
Rowe, R.C., see Parker, M.D. (80) 179

Santoni, G., Fabbri, L., Gratteri, P., Renzi, G. and Pinzauti, S.
Simultaneous determination of aspirin, codeine phosphate and propyphenazone in tablets by reversed-phase high-performance liquid chromatography (80) 263
Sawabe, H., see Kurono, Y. (80) 135

Schückler, F. and Lee, G.
Relating the concentration-dependent action of Azone and dodecyl-L-pyroglutamate on the structure of excised human stratum corneum to changes in drug diffusivity, partition coefficient and flux (80) 81
Seiller, M., see Bonhomme, L. (80) 271
Sezaki, H., see Nishida, K. (80) 101
Shija, R., Sunderland, V.B. and McDonald, C.
Alkaline hydrolysis of methyl, ethyl and *n*-propyl 4-hydroxybenzoate esters in the liquid and frozen states (80) 203
Stein, M. and Hamacher, E.
Degradation of polybutyl 2-cyanoacrylate microparticles (80) R11
Stella, V., see Kyyrönen, K. (80) 161
Stella, V.J., see Myers, R.A. (80) 51
Story, M.J., see Cole, S.K. (80) 63
Sunderland, V.B., see Shija, R. (80) 203

Takino, T., see Nishida, K. (80) 101
Tamaki, H., see Kurono, Y. (80) 135
Testa, B., see Tsai, R.-S. (80) 39
Topp, E., see Kyyrönen, K. (80) 161
Topp, E.M., see Joshi, H.N. (80) 213
Torres-Labandeira, J., see Pitha, J. (80) 253
Tsai, R.-S., El Tayar, N., Carrupt, P.-A. and Testa, B.
Physicochemical properties and transport behaviour of piribedil: Considerations on its membrane-crossing potential (80) 39
Tsai, T.-H. and Chen, C.-F.
Ultraviolet spectral identification of ferulic acid in rabbit plasma by HPLC and its pharmacokinetic application (80) 75

Urtti, A., see Kyyrönen, K. (80) 161

Vergnaud, J.M., see Bidah, D. (80) 145
Vila Jato, J.L., see Remuñán, C. (80) 151

Wicks, S.R., see Clarke, J.G. (80) R1
Wongpoowarak, W. and Worakul, N.
Alternative statistical method to determine pH-zero point of charge (80) R21
Worakul, N., see Wongpoowarak, W. (80) R21
Wygant, M.B., see Carlisle, M.R. (80) 227

Yamashita, F., see Nishida, K. (80) 101
Yashiro, T., see Kurono, Y. (80) 135
Yliruusi, J., see Eerikäinen, S. (80) 259
York, P., see Parker, M.D. (80) 179